



The Bollard Experts

- ☐ SELECT DESIRED MATERIAL:
(6" NOMINAL SIZE)
- ☐ RPSSCT6040 SCH 40 STAINLESS STEEL
- ☐ RPCSCT6040 SCH 40 ASTM A-53 CARBON STEEL
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD FINISH:
- ☐ POLISHED #4 FINISH
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED CARBON STEEL BOLLARD FINISH:
- ☐ POWDERCOAL RAL # _____
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD MATERIAL:
- ☐ TYPE 304
- ☐ TYPE 316
- ☐ SELECT DESIRED BOLLARD CAP STYLE:
- ☐  DOME
- ☐  FLAT
- ☐  REVEAL
- ☐  SLOPED



END VIEW-FOUNDATION



<u>REVISIONS</u>			
LTR	DESCRIPTION	DATE	APP'VD
<u>COMMENTS</u>			
<u>SPECIFICATIONS</u>			
HEIGHT: 36"			
DIAMETER: 6.625"			
WALL THICKNESS: 0.280"			

SERIES NUMBER CT8000 RP	CASE CODE CT6	SIZE 6	DRAWING NUMBER CT80 RP
PRODUCT FAMILY 20 MPH CRASH TESTED			
PRODUCT CLASS STANDARDS OR CUSTOMER DEFINED	DRAWN BY AJA	DRAWING REV 1	
PRODUCT LINE BOLLARD	CHECKED BY [REDACTED]	SHEET 1 OF 1	
PRODUCT LINE REMOVABLE	APPROVED BY [REDACTED]	RELEASE DATE: 1-3-2023	
1-800-BOLLARDS, Inc. 10 Hughes Suite A102 Irvine, CA 92618 PHONE: 949-440-9558 FAX: 949-440-9559 WWW.1800BOLLARDS.COM EMAIL: INFO@1800BOLLARDS.COM			
BOLLARD, CT REMOVABLE			

APPLICATION	
NEXT ASSY	USED ON


NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWING.
3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING AND INSTALLATION PURPOSES.
4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.


The Bollard Experts

- ☐ SELECT DESIRED MATERIAL:
(6" NOMINAL SIZE)
- ☐ RPCSCT06040 SCH 40 STAINLESS STEEL
- ☐ RPCSCT06040 SCH 40 ASTM A-53 CARBON STEEL
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD
FINISH:
- ☐ POLISHED #4 FINISH
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED CARBON STEEL BOLLARD
FINISH:
- ☐ POWDERCOAL RAL # _____
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD
MATERIAL:
- ☐ TYPE 304
- ☐ TYPE 316
- ☐ SELECT DESIRED BOLLARD CAP STYLE:
- ☐  DOME
- ☐  FLAT
- ☐  REVEAL
- ☐  SLOPED

<u>REVISIONS</u>			
LTR	DESCRIPTION	DATE	APP
<u>COMMENTS</u>			
<u>SPECIFICATIONS</u>			
HEIGHT: 36"			
DIAMETER: 6.625"			
WALL THICKNESS: 0.280"			



PLAN VIEW-FOUNDATION



SERIES NUMBER	CT6000 RP	CASE CODE	BOX	DRAWING NUMBER
PRODUCT FAMILY	20 MPH CRASH TESTED	CT61		CT60RP
PRODUCT CLASS	STANDARD OR CUSTOMER DEFINED	CROWN	AJA	DRAWING REV
PRODUCT LINE	BOLLARD	CHECKED BY		SHEET 1 OF 1
PRODUCT SUB LINE	REMOVABLE	APPROVED BY		RELEASE DATE 1-3-2023
1-800-BOLLARDS, Inc. 10 Hughes Suite A100 Irving, CA 92618 PHONE: 1-800-BOLLARDS WEB: WWW.BOLLARDS.COM EMAIL: INFO@BOLLARDS.COM		TITLE BOLLARD, CT REMOVABLE		



APPLICATION	
NEXT ASSY	USED ON

NOTES:
1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWING.
3. THIS INFORMATION IS PROVIDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING AND INSTALLATION PURPOSES.
4. ALL INFORMATION CONTAINED HEREIN WAS OBTAINED AT THE TIME OF DEVELOPMENT BUT MUST BE REVERSED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.


1-800-BOLLARDS

The Bollard Experts

- ☐ SELECT DESIRED MATERIAL:
(6" NOMINAL SIZE)
- ☐ RPCSCT06040 SCH 40 STAINLESS STEEL
- ☐ RPCSCT06040 SCH 40 ASTM A-53 CARBON STEEL
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD FINISH:
- ☐ POLISHED #4 FINISH
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED CARBON STEEL BOLLARD FINISH:
- ☐ POWDERCOAL RAL # _____
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD MATERIAL:
- ☐ TYPE 304
- ☐ TYPE 316
- ☐ SELECT DESIRED BOLLARD CAP STYLE:
- ☐  DOME
- ☐  FLAT
- ☐  REVEAL
- ☐  SLOPED



REVISIONS			
LTR	DESCRIPTION	DATE	APP'VD
COMMENTS			
SPECIFICATIONS			
HEIGHT: 36"			
DIAMETER: 6.625"			
WALL THICKNESS: 0.280"			



APPLICATION NEXT ASSY USED ON		SERIES NUMBER:	CT6000 RP		CAGE CODE:	CT6	SIZE:	6	DRAWING NUMBER:	CT60RP
		PRODUCT FAMILY:	20 MPH CRASH TESTED							
		PRODUCT CLASS:	STANDARD DR CUSTOMER DEFINED		DRAWN BY:	AJA	DRAWING REV:			
		PRODUCT LINE:	BOLLARD		CHECKED BY:		SHEET: 1 DF 1			
		PRODUCT ASS LINE:	REMOVABLE		APPROVED BY:	RELEASE DATE: 1-3-2023				
		1-800-BOLLARDS, Inc. 10 Hughes Suite A105 Irvine, CA 92618 PHONE: 1-800-BOLLARDS WWW.1800BOLLARDS.COM WEB: 1800BOLLARDS.COM EMAIL: INFO@1800BOLLARDS.COM				TITLE: BOLLARD, CT REMOVABLE				

NOTES

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWING.
3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING AND INSTALLATION PURPOSES ONLY.
4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.