



The Bollard Experts

- ☐ SELECT DESIRED MATERIAL:
(8" NOMINAL SIZE)
- ☐ FCSCT8080 SCH 80 ASTM A-53 CARBON STEEL
- ☐ FSSCT8080 SCH 80 STAINLESS STEEL
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD FINISH:
- ☐ POLISHED #4 FINISH
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED CARBON STEEL BOLLARD FINISH:
- ☐ POWDER COAT RAL # _____
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD MATERIAL:
- ☐ TYPE 304
- ☐ TYPE 316
- ☐ SELECT DESIRED BOLLARD CAP STYLE:
- ☐  DOME
- ☐  FLAT
- ☐  REVEAL
- ☐  SLOPED

<u>REVISIONS</u>			
LTR	DESCRIPTION	DATE	APPVD
<u>COMMENTS</u>			
<u>SPECIFICATIONS</u>			
HEIGHT: 36"			
DIAMETER: 8.625"			
WALL THICKNESS: 0.500"			



END VIEW-FOUNDATION



SERIES NUMBER	CT8000 FIXED	CAGE CODE	888	DRAWING NUMBER	
PRODUCT FAMILY	30 MPH CARTRIDGE TESTED	CT8		CT80F	
PRODUCT CLASS	STANDARD OR CUSTOMER DEFINED	DRAWN BY	AJA	DRAWING REV	
PRODUCT LINE	BOLLARD	CHECKED BY		SHEET 1 OF 1	
PRODUCT LINE FIXED		APPROVED BY		RELEASE DATE	1-3-2023

1-800-BOLLARDS, Inc.
10 Hughes Street A102
Pineville, NC 28135
PHONE: 1-800-BOLLARDS
FAX: 1-800-BOLLARDS
WWW.1800BOLLARDS.COM
EMAIL: WTB@1800BOLLARDS.COM

BOLLARD, CT FIXED

APPLICATION	
NEXT ASSY	USED ON


NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWING.
3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING AND INSTALLATION PURPOSES.
4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.


The Bollard Experts

- ☐ SELECT DESIRED MATERIAL: (8" NOMINAL SIZE)
- ☐ FCSCOT08080 SCH 80 ASTM A-53 CARBON STEEL
- ☐ FSSCT08080 SCH 80 STAINLESS STEEL
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD FINISH:
- ☐ POLISHED #4 FINISH
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED CARBON STEEL BOLLARD FINISH:
- ☐ POWDER COAT RAL # _____
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD MATERIAL:
- ☐ TYPE 304
- ☐ TYPE 316
- ☐ SELECT DESIRED BOLLARD CAP STYLE:
- ☐  DOME
- ☐  FLAT
- ☐  REVEAL
- ☐  SLOPED

<u>REVISIONS</u>			
LTR	DESCRIPTION	DATE	APP
<u>COMMENTS</u>			
<u>SPECIFICATIONS</u>			
HEIGHT: 36"			
DIAMETER: 8.625"			
WALL THICKNESS: 0.500"			



PLAN VIEW-FOUNDATION



SERIES NUMBER:	CT8000 FIXED	CAGE CODE:	8	DRAWING NUMBER:	CT80F
PRODUCT FAMILY:	30 MPH CASH TESTED	CTN BY:	AJA	DRAWING REV:	
PRODUCT CLASS:	STANDARD OR CUSTOMER ORDER	CHECKED BY:		SHEET:	1 OF 1
PRODUCT LINE:	BOLLARD	APPROVED BY:		RELEASE DATE:	1-3-2023
PRODUCT SUB LINE:	FIXED	TITLE:			
1-800-BOLLARDS, Inc. 10 Rogers Suite A105 Irving, CA 92618 PHONE: 1-800-BOLLARDS WEB: WWW.BOLLARDS.COM EMAIL: INFO@BOLLARDS.COM		BOLLARD CT FIXED			

APPLICATION	
NEXT ASSY	USED ON




NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWING.
3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING AND INSTALLATION PURPOSES.
4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.

1-800-BOLLARDS

The Bollard Experts

- ☐ SELECT DESIRED MATERIAL:
(8" NOMINAL SIZE)
- ☐ FCSCOT08080 SCH 80 ASTM A-53 CARBON STEEL
- ☐ FSSCT08080 SCH 80 STAINLESS STEEL
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD FINISH:
- ☐ POLISHED #4 FINISH
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED CARBON STEEL BOLLARD FINISH:
- ☐ POWDER COAT RAL # _____
- ☐ AS SPECIFIED _____
- ☐ SELECT DESIRED STAINLESS STEEL BOLLARD MATERIAL:
- ☐ TYPE 304
- ☐ TYPE 316
- ☐ SELECT DESIRED BOLLARD CAP STYLE:
- ☐  DOME
- ☐  FLAT
- ☐  REVEAL
- ☐  SLOPED



REVISIONS			
LTR	DESCRIPTION	DATE	APP'VD
COMMENTS			
SPECIFICATIONS			
HEIGHT: 36"			
DIAMETER: 8.625"			
WALL THICKNESS: 0.500"			

NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWING.
3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING AND INSTALLATION PURPOSES
4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.

<table><tr><th colspan="2">APPLICATION</th></tr><tr><th>NEXT ASSY</th><th>USED ON</th></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>		APPLICATION		NEXT ASSY	USED ON							SERIES NUMBER: CT8000 FIXED	CAGE CODE: CT8	SIZE: 8	DRAWING NUMBER: CT80F
		APPLICATION													
		NEXT ASSY	USED ON												
		PRODUCT FAMILY: 30 MPH CRASH TESTED													
		PRODUCT CLASS: STANDARD OR CUSTOMER DEFINED	DRAWN BY: AJA	DRAWING REV: 1											
		PRODUCT LINE: BOLLARD	CHECKED BY:	SHEET: 1 OF 1											
		PRODUCT SUB LINE: FIXED	APPROVED BY:	RELEASE DATE: 1-3-2023											
		1-800-BOLLARDS, Inc. 10 Hughes Suite A05 Irvine, CA 92618 PHONE: 1-800-BOLLARDS WEB: WWW.BOLLARDS.COM EMAIL: INFO@BOLLARDS.COM													
		TITLE: BOLLARD, CT FIXED													